

SAFETY DATA SHEET According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent

Release date: 17.12.2018 Revision Date/No: - / Rev.00 MSDS No: SDS 042-LISA

Amendments **MITREAPEL CA ACTIVATOR**

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Product Identifier

Trade Name: MITREAPEL CA Activator

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Mixture Uses: Aerosol, activator

1.3 Details of the Supplier of the Safety Data Sheet

Beta Kimya Sanayi ve Ticaret A.Ş. BOSB Aydınlı Mah. 1 No.lu Cad. No:11 Tuzla - Istanbul/TÜRKİYE - 0216 593 90 97(Tel.) - 0216 593 90 98 (Fax)

www.betakimya.com.tr - msds@betakimya.com.tr

1.4 Emergency Telephone Number

Emergency Phone Number	: +90 216 593 90 97
Working Hours	: Weekdays 08:00-18:00 (Turkey Time)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance/mixture

GHS-US classification:	
Flammable Aerosol, Category 1	Extremely flammable aerosol.
Aspiration Toxicity, Category 1	May be fatal if swallowed and enters
airways.	
Skin corrosion/irritation, Category 2	Causes skin irritation.
Specific target organ toxicity — Repeated expo	sure, May cause drowsiness or dizziness.
Category 3, Respiratory tract irritation	
Reproductive System Toxicity, Category 2	Suspected of damaging fertility or the
unborn child.	
Specific target organ toxicity — Repeated expo	sure, May cause damage to organs
through prolonged or repeated.	
Category 2 exp	posure exposure cause the hazard.
Aquatic Cronic, Category 2	Toxic to aquatic life with long lasting
effects.	

2.2 Hazards Identification



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments Release date: Revision Date/No: MSDS No: Date/No: SDS 042-USA

MITREAPEL CA ACTIVATOR

Hazard Pictograms:			***	
Signal Words:	Danger			
Hazard Statements	May be fa Causes sl May caus Suspecte May caus exposure	Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child May cause damage to organs through prolonged or repeated exposure exposure cause the hazard Toxic to aquatic life with long lasting effects.		
<i>Precautionary</i> <i>Statements</i>	Keep away from heat/sparks/open flames/hot surfaces Use personal protective equipment as required If exposed or concerned: Get medical advice/attention If swalled: Immediately call a poison center or doctor/physicia If on skin: Wash with plenty of soap and water Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		red e/attention or doctor/physician ter ner tightly closed. s or special waste	
Additional Information			ger. Keep out of the cause skin dryness	

2.3 Other Hazards

Physical Hazards	Extremely Flammable Aerosol, Cat 1	
Health Hazards	 Aspiration Toxicity, Cat. 1; Skin corrosion/irritation, Cat. 2; STOT — RE, Cat. 3; Reproductive System Toxicity, Cat.2; STOT— RE, Cat. 2 	
Enviromental Hazards	Aquatic Cronic, Cat. 2	

SECTION 3. COMPOSITION ON INGREDIENTS

3.2 Mixtures



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

MITREAPEL CA ACTIVATOR

Release date:	17.12.2018
Revision Date/No:	- / Rev.00
MSDS No:	SDS 042-
	USA

General chemical description:

Cleaner

Base substances of preparation:

Mixture of substances listed below with nonhazardous additions.

Declaration of the ingredients according to Occupational Safety&Health Administration Standard-29 CFR 1910.1200.:

Ingredients	CAS No.	EC No.	Concentrat ion	GHS-US Classification
Hexane	110-54-3	203-777- 6	≥ 25 %	Flammable liq. 2 Repro. Sys. Tox. 2 Asp. Tox. 1 STOT Rep. Exp. 2 Skin Irrt 2 STOT Rep. Exp 3 Aquatic Cron. 2
Amine Catalyst	99-97-8	202-805- 4	≥1 %	Acute Tox 3 STOT Rep Exp. 2 Aquatic Cro. 3
Butane	106-97-8	203-448- 7	>%10	Flammable Aerosol 1
Propane	74-98-6	200-827- 9	>%10	Flammable Aerosol 1

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General Information: If exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor. Get medical advice if you feel unwell.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Vapors and mists may cause headaches, nausea, dizziness, and respiratory tract irritation. If symptoms develop and persist, seek medical advice in case of necessity.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. Get medical advice if you feel unwell. Take off contaminated clothing and wash before reuse.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes. Get medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting.Consult with a doctor in case swallowing.

4.2 Most important symptoms and effects, both acute and delayed

May cause respiratory irritation. May cause dizziness or drowsiness..

4.3 Indication of any immediate medical attention and special treatment needed

See the Section 8.



SAFETY DATA SHEET According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent

Release date: 17.12.2018 Revision Date/No: -/ Rev.00 MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media: All common extinguishing agents are suitable. Foam, carbon dioxide, dry powder.

Extinguishing media which must not be used for safety reasons: High pressure water jet.

5.2 Special Hazards Arising From the Substance or Mixture

Extremely flammable aerosol. Pressurized container: May burst if heated. Vapors are heavier than air and may travel a considerable distance to a source of ignition and flashback. Vapor/air mixtures are explosive. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

5.3 Advice For Firefighters

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Danger of explosion. Keep unnecessary people away, isolate hazard area and deny entry. Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. Do not allow to enter into surface water or drains. Wear self-contained breathing apparatus with a full face-piece and protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel

Use personal protective equipment. Keep children away. Provide ventilation. Keep away from igniting sources. Keep away from naked flame or any incandescent material.

For Emergency Responders

Wear personal protective fireproof clothing.

6.2 Environmental Precautions

Do not empty into drains or water. Avoid release to the environment. Disposal of the chemicals must be made according to official regulations.

6.3 Methods and Material For Containment and Cleaning Up



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

MITREAPEL CA ACTIVATOR

Release date: Revision Date/No: MSDS No: SDS 042-USA

Do not pierce or burn, even after use. Avoid heat, flames, sparks and other sources of ignition. Do not spray on an open flame or other ignition sources. Stop leak if possible without personal risk. Only personnel trained for the hazards of this material should perform clean up and disposal. Use non-sparking tools and equipment. Dispose of contaminated material as waste according to Section 13.

6.4 Reference to Other Sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions For Safe Handling

Avoid contact with eyes and skin. Avoid breathing vapor and mists. Do not drink, eat and smoke in the working area. Wash hands thoroughly after handling, Use nitrile gloves and protective glass during handling. Do not spray onto a naked flame or any incandescent material

Hygiene Measures : Wash hands, forearms and face thoroughly after handling.

7.2 Conditions For Safe Storage, Including Any Incompatibilities

Keep in a cool, well-ventilated area in original container. Away from heat, sparks and open flame.

Keep containers closed safely and check periodically in case leakage and spilling. Protect containers from physical damage.

Carbon dioxide will occur with the moisture contact and this leads pressure increase inside the can.

Keep only in the original container

7.3 Specific end use(s)

CA adhesive activator

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

EC No.	CAS No.	Component	TWA	STEL
-	110-54-3	Hexane	20 ppm	-
200-827- 9	74-98-6	Propane	1000 ppm	-
203-448- 7	106-97-8	Butane	600 ppm	750 ppm
-	99-97-8	Organic Activator	0,5 ppm	

8.2 Exposure Controls

Appropriate Engineering Controls:



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

MITREAPEL CA ACTIVATOR

Release date: Revision Date/No: MSDS No: SDS 042-USA

Ensure good ventilation. Apply the all common precautions while working with chemicals. Use explosion-proof electrical/ventilating/lighting equipment. Keep awayfrom heat sparks/open flames/hot surfaces.

Eye protection:

Wear protective goggles

Skin protection:

Wear protective equipment. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection:

Tested protective gloves are to be worn: Suitable material: Synthetic rubber gloves. In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Respiratory protection:

In case of dust formation, we recommend wearing of appropriate respiratory protection equipment with particle filter P. This recommendation should be matched to local conditions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information On Basic Physical And Chemical Properties

Appearance	: Aerosol, Liquid
Color	: Clear
Odor	: Characteristic
рН	: Not Applicable
Melting/ Freezing Point	: Not Applicable
Initial Boiling Point	: Not Applicable
Boiling Range	: Not Applicable
Flash Point	: Closed/ Pressured Vessel 0°C
Evaporation Rate	: Not Applicable
Flammability of Solids and Gase	es : Highly flammable
Explosive Limit	: Not Applicable
Vapour Density	: Not Applicable
Vapour Pressure	: Not Applicable
Density 25°C	: Not Applicable
Solubility	: Soluble in ethanol and ether.
Partition Coefficient (n-octanol/	water): Not Applicable
Auto-ignition temperature	: Not Applicable
Decomposition Temperature	: Not Applicable
Viscosity	: Not Applicable
Explosive Properties	: Not Applicable

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

None known.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

See section reactivity

10.4 Conditions to avoid

Keep away from sunlight and do not expose temperatures above $50 \circ C$. Protect containers from physical damage. Keep away from heat, flame and spark. Do not pierce or burn, even after use.

10.5 Incompatible materials

Keep away from oxidizing agent, acids and bases.

10.6 Hazardous decomposition products

In case of exposure to heat combustion products like oxides of carbons CO and \mbox{CO}_2 may occur.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Informations of Toxicological Effects

Acute loxicology.				
EC No.	CAS No.	Component	Toxicity	
-	110-54-3	Hexane	Toxicity category 3: toxic to reproduction system.	
-	99-97-8	Organic Activator	LD50 Oral (rat): > 200-2000 mg/kg LD50 Dermal (rabbit): > 400-2000 mg/kg LC50 Inhalation (rat): > 1-5 mg/l/4h	
200-827- 9	74-98-6	Propane	LC50 (rat) : 658mg/L (inh.)	
203-448- 7	106-97-8	Butane	LC50 (rat) : 658mg/L (inh.)	

Acute Toxicology:

Skin Corrosion/Irritation: *Causes skin irritation.* An allergic reaction cannot be excluded after repeated skin contact.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

STOT - Repeated Exposure: May cause drowsiness or dizziness.

STOT - Repeated Exposure: May cause damage to organs through prolonged or repeated exposure.

Aspiration Toxicity: May be fatal if swallowed and enters airways.

Serious Eye Damage/Eye Irritation	: Not classified based on available information.
Respiratory or Skin Sensitization	: Not classified based on available information.
Germ Cell Mutagenicity	: Not classified based on available information.
Carcinogenicity : Not	classified based on available information.
STOT-single exposure : Not	classified based on available information
Potential adverse human health not met. effects and symptoms	:Based on available data, the classification criteria are
Symptoms/effects after inhalation	: May cause respiratory irritation

SECTION 12. ECOLOGICAL INFORMATION

General Ecological Information:

Do not allow spreading soil, waterways or waste water canal.

12.1. Toxicity

EC No.	CAS No.	Component	Toxicity
-	110-54-3	Hexane	LC50: >1000 µg/l-Fish (48h) EC50: 45 mmol/m3-Invertebrates (48h) EC50: 2.66%-Alga (10d)

No additional information available

12.2. Persistence and degradability

EC No.	CAS No.	Component	Biodegradable
-	110-54-3	Hexane	Readily biodegradable

12.3. Bioaccumulative potential

EC No.	CAS No.	Component	Persistence
-	110-54-3	Hexane	BCF: 501

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Loaded cans must be sent to hazardous waste disposal facility. Protective glass, nitrile gloves and protective clothes must be worn during disposal in case of explosion. In consultation with the responsible local authority, must be subjected to special treatment. Disposal of the products must be made according to official regulations.

Product disposal recommendations:

Dispose in a safe manner in accordance with local/national regulations. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Packaging disposal recommendations:

Dispose of as unused product. Empty containers should be taken to an approved waste handling site

for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

14.1. UN Number

ICA/IATA-DGR/ DOT	: UN 1950
IMDG	: 1950
ADR/RID	: 1950

14.2. UN Proper Shipping Name

ADR/RID	: AEROSOLS, FLAMMABLE
DOT(49 CFR)	: Aerosols
IATA-DGR	: Aerosols, flammable

IMDG : AEROSOLS

14.3. Transport Hazard Class(es)

ADR / RID, IATA-DGR, IMDG, DOT : 2.1

Hazard Label (DOT)



14.4. Packaging Group

Not applicable.

14.5. Environmental Hazards

Harmful to aquatic life with long lasting effects.

14.6. Special Precautions For User

Avoid high temperature.

IMDG-EmS Number ADR-Tunnel Restriction Code	: F-D, S-U : (D)
Exceptions	: ICAO/IATA (Not more than 66 pounds (30 kg))
	IMO/IMDG Limited quantity (Not more than 1 L).

14.7. Transport In Bulk According to Annex II of Marpol and The IBC Code

Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Hazard Communication Standars, 29 CFR 1910.1200 United States TSCA Inventory, (TSCA)

15.2. Chemical safety assessment

US Federal Reg.	: No additional information available
US State Reg.	: No additional information available

CANADA EU-Regulations

: No additional information available : No additional information available National regulations : No additional information available

SECTION 16. OTHER INFORMATION

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 11/24/2018.

SDS US (GHS HazCom 2012)

Document Author Certificate No. : GBF-A-0-2901

This document is generated for the purpose of distributing health, safety, and environmental data. It is not a specification sheet nor should any displayed data be construed as a specification. The information on this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use or disposal of this product. It the product is used as a component in another product, this MSDS information may not be applicable